
TORO
TIMECUTTER®
ZERO-TURN MOWERS / ZERO-TURN TRACTORS
TORO
TORO

THERE'S A **FASTER, EASIER** WAY TO MOW

SMART FEATURES. PROVEN DEPENDABILITY.

Toro's innovative features simplify operation and reduce trimming to help you save time so you can spend more time enjoying your lawn and less time mowing it. The Toro TimeCutter® cuts your mowing time almost in half*, which means less work for you and your mower. You'll not only have more time to enjoy, you'll extend the working life of your mower.

TRADITIONAL TRACTOR

ZERO-TURN MOWER

SAVE TIME AND TURN ON A DIME

Zero-turn mowers have a tighter turning radius than standard riding tractors. They easily maneuver around obstacles in one pass.

Zero-Turn Mower | Tractor

SPEND 45% LESS TIME MOWING

* Time savings are from 2008-2012 survey results for Toro residential zero-turn mowers, as reported by owners.

SEE IT IN ACTION!
Scan to see video and learn more about saving time with a TimeCutter.

TIMECUTTER® FEATURES

3-YEAR LIMITED WARRANTY*

Backed by one of the best warranties in the industry, the TimeCutter will perform season after season with no hour limitations.

*See retailer for warranty details.

HEAVY-DUTY CONSTRUCTION

Features thick, 10-gauge steel frames, solid front axles, heavy-duty engine guards and large caster forks for added durability.

HIGH-CAPACITY FUEL TANK

A 3-gal. fuel tank lets you mow longer, while the sight gauge provides a quick view of the fuel level. The large gas cap makes fill-ups easy.

BLUE FEATURE — Blue MEANS MORE FOR YOU WITH Smart Features FROM TORO

Look for this blue icon throughout the brochure pointing you to innovative and smart features from Toro.

PROFESSIONAL QUALITY OF CUT

Toro is counted on to maintain premier grounds such as the Super Bowl® fields, NASCAR® speedways and the best golf courses in the world.

NEARLY MAINTENANCE-FREE

Automotive-style sealed bearings eliminate the risk of over- or under-greasing. Deck washout ports come standard to minimize cleaning.

PREMIUM SEATS

18" extra-tall or 18" thickly padded, premium seats provide ample back support for a smooth, comfortable ride.

VERSATILITY IS STANDARD

Each TimeCutter comes standard with a hitch for pulling a variety of Brinly-Hardy® attachments, providing added versatility.

PRO-STYLE STEERING
Lever steering saves more time and requires less effort to use — no wonder it's the choice of professional landscapers.

FAST, FUN AND WEEKEND FRIENDLY

AWARD WINNING FEATURE!^

SMART SPEED®

Toro's Smart Speed® control system lets you choose from three ground speed ranges, making it easy to learn how to drive. Use low **TRIM** range to trim closer for maximum time savings, choose medium **TOW** range for towing attachments, or select high **MOW** range to mow large open areas and finish quickly.

BLUE FEATURE

4" DEEP STEEL DECKS

High-capacity custom formed steel decks provide superior cutting performance in all conditions. Features include a deck washout port for easy cleaning and a top discharge design for superior bagging.

AUTOMATIC PARKING BRAKE

Automatically sets whenever the control arms are moved outward.

SMART DESIGN PUTS YOU IN CONTROL

Looking for a time-saving zero-turn mower? The quick, maneuverable TimeCutter® SS gets the job done fast. Featuring the exclusive Smart Speed control system, the TimeCutter is the only zero-turn mower with three speed ranges, making it easy to learn how to drive and the best for pulling attachments. And with a rugged deck and frame — and an unbeatable warranty — you can count on your TimeCutter SS for years to come.

"This mower is great. It cut my mowing time almost in half. Wish I had bought one sooner."

★★★★★ BuckheadBob via Toro.com | Buckhead Ridge, FL

EASY OPERATION

LEVER STEERING IS AS INTUITIVE AS DRIVING A SHOPPING CART. PUSH OR PULL AS SHOWN TO STEER WHERE YOU WANT TO GO.

REVERSE | TURN RIGHT | STOP | TURN LEFT | FORWARD

SCAN HERE TO SEE HOW EASY AND FUN IT IS TO DRIVE A Z!

^2013 HANDY Magazine Innovation Award Winner

SW SERIES ZERO-TURN TRACTORS

INTUITIVE STEERING WHEEL
The familiar steering wheel has an adjustable column that stores almost vertical, making it easy to get on and off the machine.

GREAT VISIBILITY
No tractor hood blocking your view.

REAR MOUNTED ENGINE
Noise and exhaust is behind you.

ZERO TURNING RADIUS
Maximizes time savings and maneuverability.

THE IDEAL COMBINATION

THE ZERO-TURN TRACTOR

Now you can have your lawn tractor and your zero-turn too. Toro's innovative TimeCutter® SW mowers are the perfect blend of both. You get the controls and side hill stability of a lawn tractor with the maneuverability and time savings of a zero-turn mower.

SEE IT IN ACTION!
Scan to see video of the zero-turn tractor.

"This mower is great! Very easy to use, cuts well, especially when mowing on a hill."

★★★★★ DTun via Toro.com | Albany, NY

AWARD WINNING FEATURE!^

SMART PARK™ BRAKING SYSTEM

Toro's unique braking system automatically stops the mower deck and sets the parking brake while keeping the engine running when you need to get off the mower. Just tap the pedal to release the brake and go.

BLUE FEATURE

KEY CHOICE™ MOWING SYSTEM

Remove the key to prevent others from mowing in reverse for added peace of mind.

BLUE FEATURE

EXCLUSIVE TORO® COMMERCIAL ENGINES

Each Toro® engine is designed and tuned specifically for the machine it powers to ensure optimal performance.

^2015 Pro Tool Innovation Award Winner

MX / SWX SERIES

HEAVY-DUTY ZERO-TURN MOWERS AND ZERO-TURN TRACTORS

HEAVY-DUTY TRANSMISSIONS
Upgraded transmissions ensure peak performance and long life.

PRO-CONTROL DAMPERS
Super smooth control of the levers will have you driving like the pros.
(available on most models)

WHO KNEW
RUGGED
COULD BE SO
COMFORTABLE?

COMMERCIAL-STYLE FABRICATED DECK
Welded together from plates of 10-gauge steel, and a .25" thick reinforced leading edge, this fabricated deck is designed for tough mowing conditions.

ULTIMATE COMFORT
Premium, thickly padded 18" extra-tall seats provide ample back support for a smooth, comfortable ride.
Available on most models.

PREMIUM FEATURES
Premium features come standard, including a deck lift pedal, a floor mat, and an hour meter for increased productivity.
Available on most models.

THE HEAVY-DUTY CHOICE FOR HEAVY MOWING USE

TimeCutter® SWX and MX Series mowers are built for heavy use in the toughest conditions, providing years of dependable performance. From their heavy-duty fabricated decks to their upgraded transmissions, they stand up to demanding use. Most models also offer premium, thickly padded seats for maximum comfort.

NEW!

Introducing the TIMECUTTER MX6050
The NEW TimeCutter MX6050 takes the durable, comfortable MX Series one step further, featuring a 60" fabricated deck for increased performance, along with these other great features.

HEAVY-DUTY FRONT END
2.5" x 2.5" fully tubular front axle and heavy-duty 3/8" thick caster forks for added durability.

HEAVY-DUTY DECK CONSTRUCTION
60" fabricated deck features dual supported gauge wheels for increased strength.

BUILT-IN BUCKET HOLDERS
Attach a Toro 5-gallon Bucket to the heavy-duty engine guard to carry tools or pick up trash.

THE RIGHT ENGINE FOR YOUR MOWER

The Toro® single cylinder and new Toro Commercial V-Twin engines — the same ones found on some of our industry-leading commercial zero-turn mowers — were specifically created to deliver optimal performance in our mowers by matching the torque curve of the engine to the needs of the Toro decks it powers. Their intelligent design and tight tolerances help the governor respond faster with more power when you need it, so you're ready to handle your toughest outdoor tasks. With heavy-duty components and innovative features, it's the perfect match for the job you need to do.



DUAL-ELEMENT AIR FILTER

SELF-CLEANING AIR FILTER HOUSING

This patent-pending system features a self-cleaning air filter housing with a dual-element air filter and a sloped floor that keeps debris out of the engine -- maximizing filter life and engine performance.

BLUE FEATURE



TWO-BARREL CARBURETOR

The two-barrel carburetor allows a stream of air and fuel mixture to be dedicated to each cylinder separately for maximum power and performance.

Available on V-Twin engines only.

QUICK-DRAIN OIL HOSE

Just pop the hose out of its holder to drain the oil and pop it back in its holder when finished, no tools required.

Available on V-Twin engines only.

BLUE FEATURE

VACUUM OVERRIDE CHOKE

Once the engine starts, the choke is overridden automatically — allowing for smoother starts.

AUTOMOTIVE-STYLE PISTON ASSEMBLY

5-BOLT HEADS

CAST-IRON CYLINDER LINER

HEAVY-DUTY AIR CLEANER HINGE

HEAVY-DUTY CONSTRUCTION

ZX SERIES ENGINE BENEFITS:

AUTOMOTIVE-STYLE PISTON ASSEMBLY. Triple ring design reduces engine oil consumption and blowby for maximum power.

5-BOLT HEADS. Provide tighter seal for added durability.

CAST-IRON CYLINDER LINERS. Durable construction delivers extended wear for longer engine life.

HEAVY-DUTY AIR CLEANER HINGE.[1] Tough components are built to last for added longevity.

LARGE BEARING MOUNTS. Increased size better distributes loading to help the engine last longer.

[1] *V-Twin engines only.*

ENGINE	Toro® OHV*	Toro Commercial V-Twin with Self-Cleaning Air Filter Housing*	
DISPLACEMENT	452cc	708cc	708cc
HORSEPOWER	N/A	24.5	22.5
MODELS	TimeCutter* SS TimeCutter MX TimeCutter SW	TimeCutter SS TimeCutter MX TimeCutter SW TimeCutter SWX	TimeCutter MX

* *The gross horsepower of this engine was laboratory rated at 3600 RPM per SAE J1940 by the engine manufacturer. As configured to meet safety, emission and operating requirements, the actual engine horsepower on these mowers will be significantly lower.*

3 YEAR LIMITED WARRANTY

See your dealer for full details on warranties.

SCAN NOW TO WATCH A VIDEO ON TORO® ENGINES

INSIST ON TORO® GENUINE PARTS

Protect the reliability and productivity of your equipment with parts designed specifically for your Toro® products. Made from premium materials and engineered to enhance the safety and performance of your Toro equipment, every part we ship comes with a one-year full warranty. Our responsive Toro dealers have the skills, training and commitment to keep your equipment performing at its best. Leveraging their extensive inventory and Toro's impressive 98% fill rate on parts, your Toro dealer is the best in parts support.

ANTI-VIBRATION FLOOR MAT
132-6921 – Lever Steer
132-6920 – Steering Wheel

ARMRESTS
Part #105-6978 – For 18" seats only

PREMIUM TORO® ENGINE OIL
Part #117-0066 – Full Synthetic 10W30 / SAE30 (1 qt.)
Part #38903 – Standard SAE30 (1 qt.)

PREMIUM FUEL TREATMENT
Part #131-6572 – (12 oz.)

HOUR METER
Part #116-5461

STEP KIT / ASSIST HANDLE
Part #79339
(Cannot be installed at same time as Jack Mount Kit 126-5251)

BELT KIT
Part #119-8821 – 32" deck
Part #130-0842 – 34" deck
Part #79004 – 42" deck
Part #79005 – 50" deck
Part #130-0843 – 54" deck

STRIPING KIT
Part #120-7905 – 42" & 50"
Part #131-4165 – 54"
Part #131-4167 – 34" Fab
Part #121-5702 – 42" Fab
Part #121-5706 – 50" Fab

CARGO CARRIER^
Part #79040

TWIN BAGGER^
Part #79390 – 32"
Part #79391 – 42"
Part #79392 – 50"
Part #79392 – 54"
Part #79393 – 34" Fab
Part #79394 – 42" Fab
Part #79395 – 50" Fab
Part #79396 – 60" Fab

SEAT COVER
Part #117-0096 – no armrests
Part #117-0097 – with armrests

*Not available for MX5050 or SWX5050. **Not Available for MX6050. ^Requires Weight Kit (131-7658 for 32" - 54" models, or 136-7492 for 60" model) and Mounting kit (131-3966 for 32" – 54" models, or 136-7491 for 60" model).

BRINLY-HARDY® ATTACHMENTS

With the Smart Speed® control system and the standard hitch, you can now finally tow pull-behind attachments with the speed and precision control they were designed for.

10 CU. FT. CART

SWEEPER

TORO ENGINE MAINTENANCE KITS
Part #132-4877 - Single Cylinder
Part #132-4878 - Twin Cylinder

FOOT ASSIST HOC
Part #79010

DELUXE COVER
Part #490-7516

SUNSHADE*
Part #79011

BLADE KIT
Part #80-4430-03 – 32" deck
Part #115-5059-03 – 34" deck
Part #131-3939-03P – 42" deck
Part #79016P – 50" deck
Part #115-9650-03 – 54" deck

BAGGING ENHANCEMENT / BLOWOUT RING KIT
Part #114-1620 – 42"
Part #114-1608 – 50"
Part #131-4168 – 34" Fab
Part #121-5698 – 42" Fab
Part #121-5692 – 50" Fab
Part #131-4166 – 54" Fab
Part #117-7202 – 60" Fab

RECYCLER® MULCH KIT
Part #79017 – 32"
Part #131-4182 – 42"
Part #79019 – 50"
Part #131-4185 – 54"
Part #131-4184 – 34" Fab
Part #131-4183 – 42" Fab
Part #79024 – 50" Fab
Part #136-7490 – 60" Fab

DECK MAINTENANCE JACK MOUNT KIT
*Part #126-5251***
(Cannot be installed at same time as Step Kit / Assist Handle 79339)

DECK MAINTENANCE JACK
*Part #127-6666***

5 GALLON BUCKET
Part #133-2533 – Toro 5 gallon bucket
Part #136-7494 – Bucket mount kit

HOW TO ORDER:
Your authorized Toro dealer is always your best source for product accessories and parts. You can also visit **torodealer.com** for more information.

40" & 48" DETHATCHER

SPRAYER

SPREADER

SEE IT IN ACTION!
Scan to see video of the versatile Toro® TimeCutter.®

MODELS	SS3225 74710	SS4200 74720 SS4225 74721	SS5000 74730 SS5000 74731	SS5425 74741
ENGINE[1] AT 3,600 RPM	Toro® 452cc	**74720** Toro 452cc **74721** » 22 hp Kohler® V-Twin 725cc with AutoChoke	**74730** » 23 hp Kawasaki® V-Twin 726cc **74731** » 24.5 hp Toro Commercial V-Twin 708cc with Self-Cleaning Air Filter Housing	24.5 hp Toro V-Twin 708cc with Self-Cleaning Air Filter Housing
ENGINE GUARD	Standard	Standard	Standard	Standard
FUEL CAPACITY	3 gallons (11.4 liters)	3 gallons (11.4 liters)	3 gallons (11.4 liters)	3 gallons (11.4 liters)
MOWING DECK	32" (81 cm) – 13 ga. 1 blade	» 42" (107 cm) – 13 ga. 2 blades	» 50" (127 cm) – 12 ga. 3 blades	» 54" (137 cm) – 12 ga. 3 blades
BLADE TIP SPEED	18,959 ft/min (5,779 m/min)	17,810 ft/min (5,428 m/min)	» 18,330 ft/min (5,587 m/min)	18,320 ft/min ft/min (5,584 m/min)
DECK WASHOUT PORTS	Standard	Standard	Standard	Standard
HEIGHT OF CUT	1.5" - 4.5" (3.8 - 11.4 cm)	1.5" - 4.5" (3.8 - 11.4 cm)	1.5" - 4.5" (3.8 - 11.4 cm)	1.5" - 4.5" (3.8 - 11.4 cm)
DECK LIFT PEDAL	Optional	Optional	Optional	Optional
FRAME	Heavy Duty 10 Gauge	Heavy Duty 10 Gauge	Heavy Duty 10 Gauge	Heavy Duty 10 Gauge
HITCH	Standard	Standard	Standard	Standard
ANTI-VIBRATION MAT	Standard	Optional	Optional	Optional
TRANSMISSIONS	Dual Hydrostatic	Dual Hydrostatic	Dual Hydrostatic	Dual Hydrostatic
SMART SPEED^	Standard	Standard	Standard	Standard
AUTOMATIC PARKING BRAKE	Standard	Standard	Standard	Standard
STEERING LEVERS	Standard	Standard	Standard	Standard
MOW (F/R) TOW (F/R) TRIM (F/R)	up to 7 mph/3 mph (11.2 km/h/4.8 km/h) up to 5.5 mph/2.4 mph (8.8 km/h/3.9 km/h) up to 4 mph/1.7 mph (6.4 km/h/2.7 km/h)	up to 7 mph/3 mph (11.2 km/h/4.8 km/h) up to 5.5 mph/2.4 mph (8.8 km/h/3.9 km/h) up to 4 mph/1.7 mph (6.4 km/h/2.7 km/h)	up to 7 mph/3 mph (11.2 km/h/4.8 km/h) up to 5.5 mph/2.4 mph (8.8 km/h/3.9 km/h) up to 4 mph/1.7 mph (6.4 km/h/2.7 km/h)	up to 7 mph/3 mph (11.2 km/h/4.8 km/h) up to 5.5 mph/2.4 mph (8.8 km/h/3.9 km/h) up to 4 mph/1.7 mph (6.4 km/h/2.7 km/h)
TIRES (REAR)	18" x 6.0" (45.7 x 15.2cm)	» 18" x 7.5" (45.7 x 19.1 cm)	» 18" x 9.5" (45.7 x 24.1 cm)	» 20" x 10" (50.8 x 25.4 cm)
TIRES (FRONT)	11" x 4" (27.9 x 10.2 cm)	11" x 4" (27.9 x 10.2 cm)	» 13" x 5" (33 x 12.7 cm)	13" x 5" (33 x 12.7 cm)
SEAT	18" (46 cm) Extra-Tall	18" (46 cm) Extra-Tall	» 18" (46 cm) Thickly Padded Premium	18" (46 cm) Thickly Padded Premium
ARMRESTS	Optional	Optional	Optional	» Standard
HOUR METER	Standard	Optional	Optional	Optional
STORAGE DIMENSIONS (W x L x H)	35.3" x 71.8" x 40.7" (90 x 182 x 103 cm)	45.3" x 71.8" x 37.3" (115 x 182 x 95 cm)	54.6" x 72.9" x 41.5" (138.7 x 185 x 105 cm)	57.4" x 72.9" x 42.5" (148.8 x 185 x 108 cm)
RESIDENTIAL LIMITED WARRANTY[2]	3-Year Unlimited Hours	3-Year Unlimited Hours	3-Year Unlimited Hours	3-Year Unlimited Hours

MODELS	MX4200 74765 MX4200 74766	MX4250 74760	MX5000 74775	MX5025 74776	MX5050 74771	MX6050 74777
ENGINE[1] AT 3,600 RPM	**74765** Toro® 452cc **74766** » 22.5 hp Toro Commercial V-Twin 708cc with Self-Cleaning Air Filter Housing	» 24.5 hp Toro Commercial V-Twin 708cc with Self-Cleaning Air Filter Housing	24.5 hp Toro Commercial V-Twin 708cc with Self-Cleaning Air Filter Housing	23 hp Kawasaki® V-Twin 726cc	» 24.5 hp Toro Commercial V-Twin 708cc with Self-Cleaning Air Filter Housing	24.5 hp Toro Commercial V-Twin 708cc with Self-Cleaning Air Filter Housing
ENGINE GUARD	Standard	Standard	Standard	Standard	Standard	Standard
FUEL CAPACITY	3 gallons (11.4 liters)	3 gallons (11.4 liters)	3 gallons (11.4 liters)	3 gallons (11.4 liters)	3 gallons (11.4 liters)	3 gallons (11.4 liters)
MOWING DECK	42" (107 cm) fab. – 10 ga. 2 blades	42" (107 cm) fab. – 10 ga. 2 blades	» 50" (127 cm) fab. – 10 ga. 3 blades	50" (127 cm) fab. – 10 ga. 3 blades	50" (127 cm) fab. – 10 ga. 3 blades	» 60" (152 cm) fab. – 10 ga. 3 blades
BLADE TIP SPEED	17,810 ft/min (5,428 m/min)	17,810 ft/min (5,428 m/min)	» 18,330 ft/min (5,587 m/min)	18,330 ft/min (5,587 m/min)	18,330 ft/min (5,587 m/min)	18,330 ft/min (5,587 m/min)
DECK WASHOUT PORTS	Standard	Standard	Standard	Standard	Standard	Standard
HEIGHT OF CUT	1.5" - 4.5" (3.8 - 11.4 cm)	1.5" - 4.5" (3.8 - 11.4 cm)	1.5" - 4.5" (3.8 - 11.4 cm)	1.5" - 4.5" (3.8 - 11.4 cm)	» Standard	Standard
DECK LIFT PEDAL	Optional	» Standard	Optional	Optional	» Standard	Standard
FRAME	Heavy Duty 10 Gauge	Heavy Duty 10 Gauge	Heavy Duty 10 Gauge	Heavy Duty 10 Gauge	Heavy Duty 10 Gauge	Heavy Duty 10 Gauge
HITCH	Standard	Standard	Standard	Standard	Standard	Standard
ANTI-VIBRATION MAT	Optional	» Standard	Optional	Optional	» Standard	Standard
TRANSMISSIONS	Dual Hydrostatic	» ZT-2200 Hydros	ZT-2200 Hydros	ZT-2200 Hydros	» ZT-2800 Hydros	ZT-2800 Hydros
SMART SPEED^	Standard	Standard	Standard	Standard	Standard	Standard
AUTOMATIC PARKING BRAKE	Standard	Standard	Standard	Standard	Standard	Standard
STEERING LEVERS	Standard Dampers	» Pro-Control Dampers	Standard Dampers	Standard Dampers	» Pro-Control Dampers	Pro-Control Dampers
MOW (F/R) TOW (F/R) TRIM (F/R)	up to 7 mph/3 mph (11.2 km/h/4.8 km/h) up to 5.5 mph/2.4 mph (8.8 km/h/3.9 km/h) up to 4 mph/1.7 mph (6.4 km/h/2.7 km/h)	up to 7 mph/3 mph (11.2 km/h/4.8 km/h) up to 5.5 mph/2.4 mph (8.8 km/h/3.9 km/h) up to 4 mph/1.7 mph (6.4 km/h/2.7 km/h)	up to 7 mph/3 mph (11.2 km/h/4.8 km/h) up to 5.5 mph/2.4 mph (8.8 km/h/3.9 km/h) up to 4 mph/1.7 mph (6.4 km/h/2.7 km/h)	up to 7 mph/3 mph (11.2 km/h/4.8 km/h) up to 5.5 mph/2.4 mph (8.8 km/h/3.9 km/h) up to 4 mph/1.7 mph (6.4 km/h/2.7 km/h)	up to 7 mph/3 mph (11.2 km/h/4.8 km/h) up to 5.5 mph/2.4 mph (8.8 km/h/3.9 km/h) up to 4 mph/1.7 mph (6.4 km/h/2.7 km/h)	up to 7 mph/3 mph (11.2 km/h/4.8 km/h) up to 5.5 mph/2.4 mph (8.8 km/h/3.9 km/h) up to 4 mph/1.7 mph (6.4 km/h/2.7 km/h)
TIRES (REAR)	18" x 7.5" (45.7 x 19.1 cm)	18" x 7.5" (45.7 x 19.1 cm)	» 18" x 9.5" (45.7 x 24.1 cm)	» 20" x 10" (50.8 x 25.4 cm)	20" x 10" (50.8 x 25.4 cm)	20" x 10" (50.8 x 25.4 cm)
TIRES (FRONT)	11" x 4" (27.9 x 10.2 cm)	11" x 4" (27.9 x 10.2 cm)	» 13" x 5" (33 x 12.7 cm)	13" x 5" (33 x 12.7 cm)	13" x 5" (33 x 12.7 cm)	» 13" x 6.5" (33 x 16.5 cm)
SEAT	18" (46 cm) Extra Tall	» 18" (46 cm) Thickly Padded Premium	18" (46 cm) Thickly Padded Premium	18" (46 cm) Thickly Padded Premium	18" (46 cm) Thickly Padded Premium	18" (46 cm) Thickly Padded Premium
ARMRESTS	Optional	» Standard	Optional	» Standard	Standard	Standard
HOUR METER	Optional	» Standard	Optional	Optional	» Standard	Standard
STORAGE DIMENSIONS (W x L x H)	45.6" x 71.8" x 39.1" (115.8 x 182.4 x 99.3 cm)	45.6" x 71.8" x 42.0" (115.8 x 182.4 x 107 cm)	53.5" x 72.9" x 39.1" (135.9 x 185 x 99.3 cm)	53.5" x 72.9" x 39.1" (135.9 x 185 x 99.3 cm)	53.5" x 72.9" x 43.0" (135.9 x 185 x 109.2 cm)	53.5" x 72.9" x 43.0" (135.9 x 185 x 109.2 cm)
RESIDENTIAL LIMITED WARRANTY[2]	3-Year Unlimited Hours	3-Year Unlimited Hours	3-Year Unlimited Hours	3-Year Unlimited Hours	3-Year Unlimited Hours	3-Year Unlimited Hours

SW / SWX SERIES SPECIFICATIONS

MODELS	SW3200 74780	SW4200 74784	SW5000 74790	SWX5000 74795	SWX5050 74797
ENGINE[1] AT 3,600 RPM	Toro 452cc	» 24.5 hp Toro Commercial V-Twin 708cc with Self-Cleaning Air Filter Housing	24.5 hp Toro Commercial V-Twin 708cc with Self-Cleaning Air Filter Housing	24.5 hp Toro Commercial V-Twin 708cc with Self-Cleaning Air Filter Housing	24.5 hp Toro Commercial V-Twin 708cc with Self-Cleaning Air Filter Housing
ENGINE GUARD	Standard	Standard	Standard	Standard	Standard
FUEL CAPACITY	3 gallons (11.4 liters)	3 gallons (11.4 liters)	3 gallons (11.4 liters)	3 gallons (11.4 liters)	3 gallons (11.4 liters)
MOWING DECK	32" (81 cm) – 13 ga. 1 blade	» 42" (107 cm) – 13 ga. 2 blades	» 50" (127 cm) – 12 ga. 3 blades	» 50" (127 cm) – 10 ga. fabricated 3 blades	50" (127 cm) – 10 ga. fabricated 3 blades
BLADE TIP SPEED	18,959 ft/min (5,779 m/min)	17,810 ft/min (5,428 m/min)	» 18,330 ft/min (5,587 m/min)	18,330 ft/min (5,587 m/min)	18,330 ft/min (5,587 m/min)
DECK WASHOUT PORTS	Standard	Standard	Standard	Standard	Standard
GROUND SPEED	Up to 7 mph (11.2 km/h)	Up to 7 mph (11.2 km/h)	Up to 7 mph (11.2 km/h)	Up to 7 mph (11.2 km/h)	Up to 7 mph (11.2 km/h)
HEIGHT OF CUT	1.5" - 4.5" (3.8 - 11.4 cm)	1.5" - 4.5" (3.8 - 11.4 cm)	1.5" - 4.5" (3.8 - 11.4 cm)	1.5" - 4.5" (3.8 - 11.4 cm)	1.5" - 4.5" (3.8 - 11.4 cm)
FRAME	Heavy Duty 10 Gauge	Heavy Duty 10 Gauge	Heavy Duty 10 Gauge	Heavy Duty 10 Gauge	Heavy Duty 10 Gauge
HITCH	Standard	Standard	Standard	Standard	Standard
TRANSMISSIONS	Dual Hydrostatic	Dual Hydrostatic	Dual Hydrostatic	Dual Hydrostatic	» HG-ZT2800
SMART PARK™ BRAKING SYSTEM	Standard	Standard	Standard	Standard	Standard
TIRES (REAR)	18" x 6.0" (45.7 x 15.2cm)	» 18" x 7.5" (45.7 x 19.1 cm)	» 18" x 9.5" (45.7 x 24.1 cm)	18" x 9.5" (45.7 x 24.1 cm)	» 20" x 10" (50.8 x 25.4 cm)
TIRES (FRONT)	11" x 4" (27.9 x 10.2 cm)	» 13" x 5" (33 x 12.7 cm)	13" x 5" (33 x 12.7 cm)	13" x 5" (33 x 12.7 cm)	13" x 5" (33 x 12.7 cm)
SEAT	18" (46 cm) Extra-Tall	18" (46 cm) Extra-Tall	» 18" (46 cm) Thickly Padded Premium	18" (46 cm) Thickly Padded Premium	18" (46 cm) Thickly Padded Premium
ARMRESTS	Optional	Optional	Optional	Optional	» Standard
HOUR METER	Optional	Optional	Optional	Optional	» Standard
FLOOR MAT	Optional	Optional	Optional	Optional	Optional
STORAGE DIMENSIONS (W x L x H)	36.2" x 78.9" x 45.4" (138.7 x 200.4 x 115.3 cm)	45.3" x 78.9" x 45.4" (115 x 200.4 x 115.3 cm)	54.6" x 78.9" x 45.4" (138.7 x 200.4 x 115.3 cm)	53.5" x 78.9" x 45.9" (135.9 x 200.4 x 116.6 cm)	53.5" x 78.9" x 45.9" (135.9 x 200.4 x 116.6 cm)
RESIDENTIAL LIMITED WARRANTY[2]	3-Year Unlimited Hours	3-Year Unlimited Hours	3-Year Unlimited Hours	3-Year Unlimited Hours	3-Year Unlimited Hours

1 The gross horsepower of this engine was laboratory rated at 3,600 rpm by the engine manufacturer in accordance with SAE J1940 or SAE J2723. As configured to meet safety, emission and operating requirements, the actual horsepower on this class of mower will be significantly lower. We reserve the right to improve our products and make changes in the specifications, designs and standard equipment without notice and without incurring obligation.

2 See retailer for warranty details.

» Enhanced or step-up feature

† Can be maneuvered through a 36" gate.

^ 2013 HANDY Magazine Innovation Award Winner (Smart Speed™) / 2015 Pro Tool Innovation Award Winner (Smart Park™)

CUSTOM Z -BUILDER™

DESIGN YOUR PERFECT MOWER IN MINUTES

Toro provides you the opportunity to build a one-of-a-kind zero turn mower that has been specifically designed by you for you. Choose your steering, platform, deck, engine, seat, options and accessories, and build your perfect mower in minutes. Toro delivers the custom options, smart features, and proven dependability you can count on, season after season.

1 Build Mower
2 Check Price
3 Buy Mower

toro.com/build

a sun shade would sooooo nice

on the back for

WHEN WE SAY **COUNT ON IT**, WE MEAN IT

Every product that carries the Toro brand is backed by over 100 years of history, innovation and timeless dependability. We never stop investing in research and development to give our customers the latest features. That's why Toro is one of the best-known, most trusted brands in the business – and why your next mower should be a Toro. We also stand behind our products with a nationwide network of knowledgeable dealers for parts and service support. **Real People. Real Support.**

Smart Features. Proven Dependability.

TORO. **Count on it.**

LOOK BEFORE YOU PUMP!
USE E10 & FUEL

LookBeforeYouPump.com

FOLLOW US!
facebook.com/toro.yard
twitter.com/TheToroCompany
youtube.com/toro

toro.com / toro.ca

490-9603
© 2017 The Toro Company. Bloomington, MN 55420
All rights reserved. Printed in the USA.

Products depicted in this literature are for demonstration purposes only. Actual products offered for sale may vary in use, design, required attachments and safety features. We reserve the right to improve our products and make changes in specifications, design and standard equipment without notice and without incurring obligation. See your dealer for details on all our warranties.

Dealer imprint area