SNOWBLOWER PRODUCTS

ELECTRIC | SINGLE-STAGE | TWO-STAGE | COMMERCIAL

PERFORMANCE WHEN YOU NEED IT

"This is a great little machine with a huge amount of power and capability."

Dan18, *toro.com*
★★★★★

PACKS A PUNCH

Don't let the small package fool you. These models are compact but can throw snow up to 30' and clear down to the pavement.

Curved rotor and inverted funnel housing efficiently remove snow while reducing clogging.

1500 / 1800 POWER CURVE

Performance Without the Hassle

Simple, intuitive operation with either hand.

Patented locking-style deflector quickly adjusts to throw snow where you want it.

Aim snow on-the-go with no cranking needed.

"What a surprise! My wife bought me this Power Shovel. I thought it was a foolish idea until I used it. I have a bad back and used to think snow removal had to be a back breaking chore, well not any more. Love this shovel. Would like to highly recommend you try one, my mind was changed the first minute."

trucker, *toro.com*
★★★★★

POWER SHOVEL

See dealer or toro.com (US) or toro.ca (Canada) for full warranty details.

2 YEAR FULL COVERAGE WARRANTY

energy smart™

The Power Shovel is so easy to use, you may never go back to your old shovel.

POWER SHOVEL

Ideal for Sidewalks and Decks

Easily adjusts to the height that's comfortable for you.

Curved rotor and inverted funnel housing efficiently remove snow while reducing clogging.

1500 POWER CURVE

1800 POWER CURVE

"With all the snow we got this year it has been worth every penny I spent. Either 2 in. or 12ins. it moved it all with no problem."

mrcheap, *toro.com*

★★★★★

POWER CLEAR 518

Compact and Powerful

Our Power Clear® 518 throws snow up to 25 feet. It features an 18-inch clearing width, a Toro premium 4-cycle engine and a compact design for easy storage. It's also backed by our 2-Year Full Coverage Warranty.*

2 YEAR FULL COVERAGE WARRANTY

2 YEAR GUARANTEED TO START FULL WARRANTY

**See dealer or toro.com (US) or toro.ca (Canada) for full warranty details.*

POWER CLEAR 721

Performance You Can Count On

Our best-selling snowblowers are strong enough to take on serious snow, yet easy for anyone to maneuver. And with Toro's 2-Year Guaranteed to Start Warranty*, you're ready for whatever winter has in store. No wonder professional snow removal crews use Toro single-stage snowblowers more than any other brand or type of snowblower to help them get their job done.**

Powerful enough to handle big jobs but small enough for **easy storage.**

Select models only.

Smooth Toro 212 cc 4-cycle OHV engines have been tuned specifically for these models **to deliver powerful, responsive performance**.

With electric start, **just plug in, push a button and go.**

Select models only.

Change the chute direction without slowing down. With the Quick Shoot Control System you just squeeze the trigger and slide the grip.

Select models only.

Reduce your effort, all while clearing down to the pavement. The Power Propel Self-Propel System has an innovative pivoting scraper keeps the rotor in constant contact with the ground, self propelling the snowblower through the snow. *Select models only*

Quickly throw snow high, low or in-between. The locking zip deflector adjusts in less than a second with a touch of your hand.

Select models only.

***Claims cited from 2012 Market Research regarding Single Stage snow throwers in snow removal businesses.*

DEEP SNOW HAS MET ITS MATCH

"A great machine that was able to stand up to the blizzard of 2013 in New England. We had nearly 40" of snow! The machine was up to the task and was a breeze to use. Highly maneuverable with the power steering and it threw the snow further than my neighbors' machines helping to prevent large berms that were hard to see around."

JasonCT, *toro.com*

★★★★★

POWER MAX & POWER MAX HD

Standard Features Found On All Models

ANTI-CLOGGING SYSTEM

Excess snow that the impeller cannot throw out the chute can cause it to clog. Our innovative system is the only one that allows the impeller to automatically reroute excess snow away from the chute and back into the auger to prevent the chute from clogging.

ONE-HAND OPERATION

Convenient controls allow you to keep one hand free so you can adjust the chute without stopping.

SUB ZERO MATERIAL

Chute, deflector and ACS are made of a special cold-weather material durable to -104˚ F and guaranteed for life. It is also rust-free, so there's no binding, and snow and ice won't stick.

QUICK STICK® CHUTE CONTROL

Innovative joystick control allows you to change chute direction and angle quickly and easily, on the go.

3 YEAR LIMITED WARRANTY

GUARANTEED FOR LIFE Chute • ACS • Deflector WARRANTY

See dealer or toro.com (US) or toro.ca (Canada) for full warranty details.

COMPACT YET POWERFUL AND EASY TO USE

Blizzard in the forecast? No worries. Toro Power Max two-stage snowblowers are made for the toughest conditions. With durable components and a patented Anti-Clogging System (ACS), they make quick work of hard, compacted snow. They're also compact and easy to handle. It's the perfect mix of Toro dependability and snow-clearing muscle for longer driveways and heavier snowfalls.

HIGH-STRENGTH AUGER GEAR BOX

Special hardened gears designed to withstand the highest of stresses and provide worry-free performance – no shear pins needed.

HEAVY DUTY FOR HEAVY SNOW

The perfect machine for the toughest conditions. These heavy-duty two-stage snowblowers use their large engines and commercial-grade auger gearboxes to power a 14" diameter oversized auger making quick work of any snow clearing task.

HAND WARMERS

Keep warm in subzero temperatures for added comfort.

POWER STEERING

Effortless maneuverability with the pull of a trigger.

COMMERCIAL-GRADE AUGER GEAR BOX



No shear pins needed, so there are none to replace.

A BROOM FOR EVERY SEASON

Maneuverable, versatile and durable multi-purpose rotary broom ideal for commercial operation in all seasons.

4 TIE-DOWN POINTS

Fasten your product quickly and firmly with our structurally sound integrated tie-down points for safe and easy transportation.

UNIQUE PIN HEIGHT-OF-BRUSH SYSTEM

Precision height adjustment with up to 1/8" adjustments to minimize surface damage and brush wear.

BROOM ANGLE ADJUSTMENTS

Adjust the broom angle up to 20° in either direction with our user-friendly thumb latch, simply press and angle.

VARIABLE SPEED

Commercial variable speed transmission allows you to shift on the fly with 6 forward and 2 reverse speeds.

ATTACHMENTS & ACCESSORIES

TIRE CHAIN KIT
Part #107-3813

SNOW CAB KIT
Part #116-8227

TURF CASTER
Part #116-8228

LIGHT KIT
Part #116-8234

CONCRETE/SNOW BRISTLE DISCS
Part #116-8232

TURF BRISTLE DISCS
Part #116-8233

Other Available Accessories Include:

DIRT DEFLECTOR
Part #116-8229

DEBRIS BOX
Part #116-8230

FAST. EFFICIENT. BUILT TO LAST.

Adding a Toro single-stage to your fleet can save you time and make you more money. Light enough to be thrown in the back of a truck. Powerful enough to get the job done fast.

"This is my first Toro what can I say wow this machine moves snow and practically moves on it's own no matter how deep. Easy starting usually first pull, cleans right down to the pavement. Plenty of power to move those deep drifts. Did I mention it is very light and easy to maneuver."

Guedo57, *toro.com*

★★★★★

212CC TORO PREMIUM 4-CYCLE ENGINE

More power to complete tough jobs quickly.

REFLECTIVE ERGONOMIC HANDLE

Less operator fatigue and more control – reflective for increased visibility.

EXTENDED LIFE PADDLES

Designed to last over twice as long as Toro Standard paddles for less downtime.

ENHANCED HANDLE

Attached with four bolts for maximum rigidity.

COMPLETE YOUR TORO EXPERIENCE

ESSENTIAL TORO PARTS

Protect the reliability and productivity of your equipment with parts designed specifically for your Toro products. Made from premium materials and engineered to enhance the safety and performance of your Toro equipment, every part we ship comes with a one-year full warranty.

Our responsive Toro dealers have the skills, training and commitment to keep your equipment performing at its best. Leveraging their extensive inventory and Toro's industry-leading 98% fill rate on parts, your Toro dealer leads the industry in parts support.

ELECTRIC / SINGLE-STAGE

PART DESCRIPTION	Power Shovel **38361**	1500 Power Curve **38371**	1800 Power Curve **38381**	Power Clear 518 ZR & 518 ZE **38472/38473**	Power Clear 721 R & 721 E **38741/38742**	Power Clear 721 QZR & 721 QZE **38743/38744**	Power Clear 721 R-C Commercial **38751**
Belt	106-9767	119-9811	115-1192	117-7733	121-6622	121-6622	121-6622
Rotor Blade (Paddle)				117-7700	99-9313	99-9313	
Rotor Blade (Extended Life Paddle)					125-1128	125-1128	125-1128
Extended Life Paddle Kit					38205	38205	38205
Clutch Cable				117-7721	117-9145	115--5682	115-5682
Gas Cap				121-0257	125-7928	125-7928	125-7928
Key		119-9835					
Key Lanyard		119-9848-03					
Ignition Key			117-8751		63-8360	63-8360	63-8360
Key & Lanyard Kit				119-1929			
Scraper	106-9786	119-9817	117-2840	117-7717	108-4884	108-4884	108-4884
Spark Plug				119-1961	81-2350	81-2350	81-2350

EXTENDED LIFE PADDLES

Replaces your worn single-stage paddles with thicker, heavy-duty paddles designed to last up to twice as long.

PRODUCT COVER

Protect your snowthrower with a water, abrasion and tear-resistant cover.

HEAVY-DUTY CAST IRON SKIDS

Extra wide .5" skids provide maximum life and reliability. The added weight on the front helps to chew through deep snow piles. Reversible for double the life.

NON-MARKING POLY SKIDS

Protect your driveway and sidewalk surfaces by using these non-marking poly skids. Reversible for double the life.

DRIFT BREAKERS

Breaks down drifts in front of auger housing, minimizing snow accumulation across the top of the housing.

CHAINS

Provides additional traction and helps keep drive wheels from slipping in heavy snow and icy conditions. Great for sloped surfaces.

SNOW CAB

Protects you from the frigid wind and snow. Heavy-duty vinyl with clear, freeze-resistant windows.
Now fits both Power Max & Power Max HD

TWO-STAGE

PART DESCRIPTION	Power Max 724 OE **37775**	Power Max 826 OE & 826 OTE **37772/37777**	Power Max HD 826 OXE **38800**	Power Max HD 928 OHXE & 1028 OHXE **38801/38802**	Power Max HD 1128 OHXE **38803**
Traction Belt	120-3893	120-3893	94-8812	119-1565	94-8812
Auger Belt	120-3892	120-3892	106-4498	125-1145	106-4498
26" Fixed Scraper			105-9976-01		
28" Fixed Scraper				106-4573-01	
28" Pivoting Scraper					106-4590-01
24" Scraper	119-7601-01				
26" Scraper		120-3872-01			
Spark Plug				119-1901	
Key				117-7728	
Traction Cable	121-6813	121-6813	120-0132	120-0132	120-0132
Auger Cable	121-6812	121-6812	115-5680	120-3086	115-5685
Standard Skid	106-4588-01	106-4588-01	106-4588-01	106-4588-01	106-4588-01
Heavy Duty Cast Iron Skid	120-3093-03	120-3093-03	120-3093-03	120-3093-03	120-3093-03
Heavy Duty Cast Iron Skid Kit (includes 2 skids and hardware)	38212	38212	38212	38212	38212
Non-Marking Poly Skid	121-6600	121-6600	121-6600	121-6600	121-6600
Non-Marking Poly Skid Kit (includes 2 skids and hardware)	38211	38211	38211	38211	38211
Snow Cab	127-5960	127-5960	127-5960	127-5960	127-5960
Weight Kit (used with the snow cab)	107-3815	107-3815	107-3815	107-3815	107-3815
Drift Breaker Kit	38213	38213	107-3816	107-3817	107-3817
13" Tire Chains	38214	38214 (37772 only)			
16" Tire Chains			38215	38215	38215

MISCELLANEOUS

PART#	DESCRIPTION
117-0020	Starter Extension cord
117-0089	Toro Premium Fuel Treatment 4 oz
117-0090	Toro Premium Fuel Treatment 16 oz
130-2393	Toro Premium Fuel Treatment .5 oz packet
38907	Toro 4 Cycle Winter oil 5W30 12-oz
38908	Toro 4 Cycle Winter oil 5W30 20-oz
38910	Toro 4 Cycle Winter oil 5W30 32-oz
38913	Toro 4-Cycle Full Synthetic Winter Oil 0W30- 20 oz
29100	T-150 Protective Spray
490-7464	2-Stage Toro Cover
490-7466	Single Stage Toro Cover

TORO OIL

To maximize the performance of your Toro product, we highly recommend using Toro oil, which has been specifically formulated for best results.

PREMIUM FUEL TREATMENT

Help ensure clean, reliable engine performance and protection against ethanol's harmful effects.

T-150 PROTECTIVE SPRAY

Use on the snowblower blades, chutes and other metal surfaces that need protection from snow and ice build-up.

ELECTRIC SNOWBLOWERS	Power Shovel® 38361	1500 Power Curve® 38371	1800 Power Curve® 38381
PERFORMANCE			
Capacity / Minute*	Up to 300 lbs. (136 kg)	Up to 500 lbs. (227 kg)	Up to 700 lbs. (318 kg)
Throw Distance*	Up to 20' (6 m)	Up to 25' (7.6 m)	Up to 30' (9 m)
Clearing Width	12"	15"	18"
Drive System	Poly V Belt	Poly V Belt	Poly V Belt
Rotor Style	2-Blade Curved Rotor	2-Blade Curved Rotor	2-Blade Curved Rotor
Snow Cut Depth — 1 Pass	6"	12"	12"
ENGINE			
Amps / Motor	7.5 Amp / Series Wound	12 Amp / Series Wound	15 Amp / Series Wound
USER-FRIENDLY FEATURES			
Deflector	N/A	Zip Deflector	Zip Deflector
Chute Control	N/A	Chute Lever	Quick Lever
Adjustable Assist Handle	Yes	N/A	N/A
Telescoping Handle	Yes	N/A	N/A
Safety Lock, Double Insulated and UL Listed	Yes	Yes	Yes
Weight	13 lbs. (6 kg)	25 lbs. (11 kg)	26 lbs. (12 kg)
Warranty**	2-Year Full	2-Year Full	2-Year Full

SINGLE-STAGE SNOWBLOWERS	518 ZR/ZE 38472 / 38473	721 R/E 38741 / 38742	721 R-C 38751	721 QZR/QZE 38743 / 38744
PERFORMANCE				
Capacity / Minute*	Up to 1100 lbs. (500 kg)	Up to 1900 lbs. (862 kg)	Up to 1900 lbs. (862 kg)	Up to 1900 lbs. (862 kg)
Throw Distance*	Up to 25' (8 m)	Up to 35' (11 m)	Up to 35' (11 m)	Up to 35' (11 m)
Clearing Width	18"	21"	21" w/Extended Life Paddles	21"
Auger System	Power Curve® Rotor	Power Curve Rotor	Power Curve Rotor	Power Curve Rotor
Snow Cut Depth — 1 Pass	12"	12.5"	12.5"	12.5"
ENGINE				
Engine	Toro 99cc OHV 4-cycle	Toro 212cc OHV 4-cycle	Toro 212cc OHV 4-cycle	Toro 212cc OHV 4-cycle
Starter	Recoil / Electric Start	Recoil / Electric Start	Recoil Start	Recoil / Electric Start
Fuel Capacity	1.4 Quarts (1.3 L)	1.1 Quarts (1 L)	1.1 Quarts (1 L)	1.1 Quarts (1 L)
USER-FRIENDLY FEATURES				
Drive System	Rotor Propelled	Power Propel Self-Propel	Power Propel Self-Propel	Power Propel Self-Propel
Handle	Straight	Straight	Reflective & Ergonomic	Ergonomic
Chute Type	Curved w/ Zip Deflector	Curved Steel w/ Friction Deflector	Curved Steel w/ Friction Deflector	High Capacity w/ Zip Deflector
Chute Control	Chute-Mounted Handle	Chute-Mounted Handle	Chute-Mounted Handle	Quick Shoot
Chute Rotation	210°	210°	210°	210°
Wheels	6" x 1.5"	7" x 1.5"	7" x 1.5"	7" x 1.5"
Scraper	Stationary	Pivoting	Pivoting	Pivoting
Weight: Recoil / Electric Start	54 lbs. / 58 lbs. (25 kg / 27 kg)	82 lbs. / 87 lbs. (37 kg / 40 kg)	84 lbs. (38 kg)	86 lbs. / 91 lbs. (39 kg / 41 kg)
2-Year Guaranteed-to-Start Warranty**	Yes	Yes	Yes	Yes
Warranty**	2-Year Full	2-Year Full	2-Year Full	2-Year Full

POWER MAX®

POWER MAX® HD

TWO-STAGE SNOWBLOWERS	724 OE 37775	826 OE 37772	826 OTE 37777	826 OXE 38800	928 OHXE 38801	1028 OHXE 38802	1128 OHXE 38803
PERFORMANCE							
Capacity / Minute*	Up to 1800 lbs. (818 kg)	Up to 1900 lbs. (864 kg)	Up to 1900 lbs. (864 kg)	Up to 1900 lbs. (864 kg)	Up to 1900 lbs. (864 kg)	Up to 2100 lbs. (955 kg)	Up to 2200 lbs. (1000 kg)
Throw Distance*	Up to 40' (12 m)	Up to 40' (12 m)	Up to 40' (12 m)	Up to 45' (13.5 m)	Up to 45' (13.5 m)	Up to 45' (13.5 m)	Up to 45' (13.5 m)
Clearing Width	24"	26"	26"	26"	28"	28"	28"
Power Steering	N/A	N/A	N/A	Standard	Standard	Standard	Standard
Speeds	6 Forward 2 Reverse	6 Forward 2 Reverse	6 Forward 2 Reverse	6 Forward 2 Reverse	6 Forward 2 Reverse	6 Forward 2 Reverse	6 Forward 2 Reverse
Snow Cut Depth – 1 Pass	20 "	20"	20"	21.5"	21.5"	21.5"	21.5"
Auger System	Anti-Clogging System (ACS)	Anti-Clogging System (ACS)	Anti-Clogging System (ACS)	Anti-Clogging System (ACS)	Anti-Clogging System (ACS)	Anti-Clogging System (ACS)	Anti-Clogging System (ACS)
Auger Diameter	11"	11"	11"	14"	14"	14"	14"
Auger Gearbox	Hardened Gears	Hardened Gears	Hardened Gears	Commercial-Grade; no shear pins needed	Commercial-Grade; no shear pins needed	Commercial-Grade; no shear pins needed	Commercial-Grade; no shear pins needed
MOTOR							
Engine	205cc Briggs & Stratton OHV 4-cycle	250cc Briggs & Stratton OHV 4-cycle	250cc Briggs & Stratton OHV 4-cycle	250cc Briggs & Stratton OHV 4-cycle	265cc Toro Premium OHV 4-cycle	302cc Toro Premium OHV 4-cycle	342cc Briggs & Stratton OHV 4-cycle
Starter	Electric Start	Electric Start	Electric Start	Electric Start	Electric Start	Electric Start	Electric Start
Fuel Capacity	3.2 Quarts (3 L)	3.2 Quarts (3 L)	3.2 Quarts (3 L)	3.4 Quarts (3.2 L)	3.4 Quarts (3.2 L)	3.4 Quarts (3.2 L)	3.2 Quarts (3 L)
USER-FRIENDLY FEATURES							
Chute Control	Quick Stick®	Quick Stick	Quick Stick	Quick Stick	Quick Stick	Quick Stick	Quick Stick
Skids	Standard	Standard	Standard	Standard	Standard	Standard	Standard
One-Hand Interlock	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Hand Warmers	N/A	N/A	N/A	N/A	Standard	Standard	Standard
Scraper	Adjustable	Adjustable	Adjustable	Adjustable	Adjustable	Adjustable	Pivoting
Tires	13"	13"	13" Xtrawide	16"	16"	16"	16"
Headlight	N/A	N/A	Yes	Yes	Yes	Yes	Yes
Weight	172 lbs. (78 kg)	175 lbs. (79 kg)	176 lbs. (79 kg)	243 lbs. (110 kg)	262 lbs. (119 kg)	267 lbs. (121 kg)	269 lbs. (122 kg)
Machine Warranty**	3-Year Limited	3-Year Limited	3-Year Limited	3-Year Limited	3-Year Limited	3-Year Limited	3-Year Limited
Deflector, Bypass, Chute Warranty**	Guaranteed for Life	Guaranteed for Life	Guaranteed for Life	Guaranteed for Life	Guaranteed for Life	Guaranteed for Life	Guaranteed for Life

We reserve the right to improve our products and make changes in the specifications, designs and standard equipment without notice and without incurring obligation. Products depicted in this brochure are for demonstration purposes only. Actual products offered for sale may vary in design, required attachments and safety features.

▶ Enhanced or step-up feature.

* Capacity and throw distance will vary with conditions.

** See retailer for full warranty details or go to toro.com (U.S.) or toro.ca (Canada). Specifications, design and accessories are subject to change without notice.

Power Curve®
IDEAL FOR:
- Concrete and Asphalt Surfaces
- Sidewalks and Decks
- 2-4 Car Driveways
- Snow 2" to 6" Deep

Power Clear®
IDEAL FOR:
- Concrete and Asphalt Surfaces
- 4-8 Car Driveways
- Snow 2" to 9" Deep

Power Max®
IDEAL FOR:
- Concrete, Asphalt and Gravel Surfaces
- 4-10 Car Driveways
- Snow 6" to 12" Deep

Power Max HD
IDEAL FOR:
- Concrete, Asphalt and Gravel Surfaces
- 6+ Car Driveways
- Snow 6+" Deep

Make all your outdoor work easier with the same equipment landscape professionals count on year-round. Toro offers the most dependable, high-performance products available to get the job done well and done fast. Count on your Toro dealer for a full selection of products, as well as knowledgeable people, competitive prices, special financing options and excellent service. That's how we have stood behind our products for generations, and that tradition continues today.

Smart Features. Proven Dependability.

Learn more from your dealer or visit toro.com (US) or toro.ca (Canada) for hard-working Toro products to fit your needs, year-round.

Follow us on Facebook and Twitter
Get the scoop on tools that make life better in the yard, plus Toro events, contests, and lawn-care advice that's a cut above the rest!
facebook.com/toro.yard
twitter.com/TheToroCompany

YouTube
Broadcast Yourself™

Watch us on YouTube
See Toro equipment in action and be the first to find out about new products and contests.
youtube.com/toro

TORO.
AUTHORIZED DEALER

NEW! Buy Toro products online at torodealer.com

LOOK BEFORE YOU PUMP!
USE E10 & FUEL
Ethanol Percentage

LookBeforeYouPump.com

490-8872
©2014 The Toro Company Bloomington, MN 55420. All Rights Reserved. Printed in Canada.

Products depicted in this literature are for demonstration purposes only. Actual products offered for sale may vary in use, design, required attachments and safety features. We reserve the right to improve our products and make changes in specifications, design and standard equipment without notice and without incurring obligation. See your dealer for details on all our warranties.

TORO. **Count on it.**